



190.12 - Urine Culture, Bacterial

Other Names/Abbreviations

Urine culture

Description

A bacterial urine culture is a laboratory test service performed on a urine specimen to establish the probable etiology of a presumed urinary tract infection. It is common practice to do a urinalysis prior to a urine culture. A urine culture for bacteria might also be used as part of the evaluation and management of another related condition. The procedure includes aerobic agar-based isolation of bacteria or other cultivable organisms present, and quantitation of types present based on morphologic criteria. Isolates deemed significant may be subjected to additional identification and susceptibility procedures as requested by the ordering physician. The physician's request may be through clearly documented and communicated laboratory protocols.

HCPCS Codes (Alphanumeric, CPT® AMA)

| Code | Description |
|-------|--|
| 87086 | Culture, bacterial; quantitative, colony count, urine. |
| 87088 | Culture, bacterial; with isolation and presumptive identification of each isolates, urine. |

ICD-10-CM Codes Covered by Medicare Program

The ICD-10-CM codes in the table below can be viewed on CMS' website as part of Downloads: Lab Code List, at <http://www.cms.gov/Medicare/Coverage/CoverageGenInfo/LabNCDsICD10.html>

| Code | Description |
|--------|---|
| A02.1 | Salmonella sepsis |
| A18.14 | Tuberculosis of prostate |
| A34 | Obstetrical tetanus |
| A40.0 | Sepsis due to streptococcus, group A |
| A40.1 | Sepsis due to streptococcus, group B |
| A40.3 | Sepsis due to Streptococcus pneumoniae |
| A40.8 | Other streptococcal sepsis |
| A40.9 | Streptococcal sepsis, unspecified |
| A41.01 | Sepsis due to Methicillin susceptible Staphylococcus aureus |
| A41.02 | Sepsis due to Methicillin resistant Staphylococcus aureus |
| A41.1 | Sepsis due to other specified staphylococcus |
| A41.2 | Sepsis due to unspecified staphylococcus |



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|--------|--|
| A41.3 | Sepsis due to Hemophilus influenzae |
| A41.4 | Sepsis due to anaerobes |
| A41.50 | Gram-negative sepsis, unspecified |
| A41.51 | Sepsis due to Escherichia coli [E. coli] |
| A41.52 | Sepsis due to Pseudomonas |
| A41.53 | Sepsis due to Serratia |
| A41.59 | Other Gram-negative sepsis |
| A41.81 | Sepsis due to Enterococcus |
| A41.89 | Other specified sepsis |
| A41.9 | Sepsis, unspecified organism |
| A42.7 | Actinomycotic sepsis |
| A56.01 | Chlamydial cystitis and urethritis |
| A56.02 | Chlamydial vulvovaginitis |
| A56.11 | Chlamydial female pelvic inflammatory disease |
| D65 | Disseminated intravascular coagulation [defibrination syndrome] |
| D70.0 | Congenital agranulocytosis |
| D70.1 | Agranulocytosis secondary to cancer chemotherapy |
| D70.2 | Other drug-induced agranulocytosis |
| D70.3 | Neutropenia due to infection |
| D70.4 | Cyclic neutropenia |
| D70.8 | Other neutropenia |
| D70.9 | Neutropenia, unspecified |
| D72.89 | Other specified disorders of white blood cells |
| E09.21 | Drug or chemical induced diabetes mellitus with diabetic nephropathy |
| E09.22 | Drug or chemical induced diabetes mellitus with diabetic chronic kidney disease |
| E09.29 | Drug or chemical induced diabetes mellitus with other diabetic kidney complication |
| E11.10 | Type 2 diabetes mellitus with ketoacidosis without coma |
| E11.11 | Type 2 diabetes mellitus with ketoacidosis with coma |
| E87.20 | Acidosis, unspecified |
| E87.21 | Acute metabolic acidosis |
| E87.22 | Chronic metabolic acidosis |
| E87.29 | Other acidosis |
| E87.4 | Mixed disorder of acid-base balance |
| F45.8 | Other somatoform disorders |

NCD 190.12

***October 2023 Changes
ICD-10-CM Version – Red**

Fu Associates, Ltd.

October 2023



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|---------|--|
| G93.31 | Postviral fatigue syndrome |
| G93.32 | Myalgic encephalomyelitis/chronic fatigue syndrome |
| G93.39 | Other post infection and related fatigue syndromes |
| I50.814 | Right heart failure due to left heart failure |
| I50.82 | Biventricular heart failure |
| I50.84 | End stage heart failure |
| I50.89 | Other heart failure |
| I5A | Non-ischemic myocardial injury (non-traumatic) |
| J80 | Acute respiratory distress syndrome |
| K72.00 | Acute and subacute hepatic failure without coma |
| K72.01 | Acute and subacute hepatic failure with coma |
| K76.2 | Central hemorrhagic necrosis of liver |
| M04.1 | Periodic fever syndromes |
| M32.14 | Glomerular disease in systemic lupus erythematosus |
| M32.15 | Tubulo-interstitial nephropathy in systemic lupus erythematosus |
| M35.04 | Sjogren syndrome with tubulo-interstitial nephropathy |
| M35.0A | Sjogren syndrome with glomerular disease |
| M54.89 | Other dorsalgia |
| M54.9 | Dorsalgia, unspecified |
| N00.0 | Acute nephritic syndrome with minor glomerular abnormality |
| N00.1 | Acute nephritic syndrome with focal and segmental glomerular lesions |
| N00.2 | Acute nephritic syndrome with diffuse membranous glomerulonephritis |
| N00.3 | Acute nephritic syndrome with diffuse mesangial proliferative glomerulonephritis |
| N00.4 | Acute nephritic syndrome with diffuse endocapillary proliferative glomerulonephritis |
| N00.5 | Acute nephritic syndrome with diffuse mesangiocapillary glomerulonephritis |
| N00.6 | Acute nephritic syndrome with dense deposit disease |
| N00.7 | Acute nephritic syndrome with diffuse crescentic glomerulonephritis |
| N00.8 | Acute nephritic syndrome with other morphologic changes |
| N00.9 | Acute nephritic syndrome with unspecified morphologic changes |
| N00.A | Acute nephritic syndrome with C3 glomerulonephritis |
| N01.0 | Rapidly progressive nephritic syndrome with minor glomerular abnormality |
| N01.1 | Rapidly progressive nephritic syndrome with focal and segmental glomerular lesions |
| N01.2 | Rapidly progressive nephritic syndrome with diffuse membranous glomerulonephritis |



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|----------------|--|
| N01.3 | Rapidly progressive nephritic syndrome with diffuse mesangial proliferative glomerulonephritis |
| N01.4 | Rapidly progressive nephritic syndrome with diffuse endocapillary proliferative glomerulonephritis |
| N01.5 | Rapidly progressive nephritic syndrome with diffuse mesangiocapillary glomerulonephritis |
| N01.6 | Rapidly progressive nephritic syndrome with dense deposit disease |
| N01.7 | Rapidly progressive nephritic syndrome with diffuse crescentic glomerulonephritis |
| N01.8 | Rapidly progressive nephritic syndrome with other morphologic changes |
| N01.9 | Rapidly progressive nephritic syndrome with unspecified morphologic changes |
| N01.A | Rapidly progressive nephritic syndrome with C3 glomerulonephritis |
| N05.0 | Unspecified nephritic syndrome with minor glomerular abnormality |
| N05.1 | Unspecified nephritic syndrome with focal and segmental glomerular lesions |
| N05.2 | Unspecified nephritic syndrome with diffuse membranous glomerulonephritis |
| N05.3 | Unspecified nephritic syndrome with diffuse mesangial proliferative glomerulonephritis |
| N05.4 | Unspecified nephritic syndrome with diffuse endocapillary proliferative glomerulonephritis |
| N05.5 | Unspecified nephritic syndrome with diffuse mesangiocapillary glomerulonephritis |
| N05.6 | Unspecified nephritic syndrome with dense deposit disease |
| N05.7 | Unspecified nephritic syndrome with diffuse crescentic glomerulonephritis |
| N05.8 | Unspecified nephritic syndrome with other morphologic changes |
| N05.9 | Unspecified nephritic syndrome with unspecified morphologic changes |
| N05.A | Unspecified nephritic syndrome with C3 glomerulonephritis |
| N06.0 | Isolated proteinuria with minor glomerular abnormality |
| N06.1 | Isolated proteinuria with focal and segmental glomerular lesions |
| *N06.20 | *Isolated proteinuria with diffuse membranous glomerulonephritis, unspecified |
| *N06.21 | *Primary membranous nephropathy with isolated proteinuria |
| *N06.22 | *Secondary membranous nephropathy with isolated proteinuria |
| *N06.29 | *Other isolated proteinuria with diffuse membranous glomerulonephritis |
| N06.3 | Isolated proteinuria with diffuse mesangial proliferative glomerulonephritis |
| N06.4 | Isolated proteinuria with diffuse endocapillary proliferative glomerulonephritis |
| N06.5 | Isolated proteinuria with diffuse mesangiocapillary glomerulonephritis |
| N06.6 | Isolated proteinuria with dense deposit disease |
| N06.7 | Isolated proteinuria with diffuse crescentic glomerulonephritis |
| N06.8 | Isolated proteinuria with other morphologic lesion |
| N06.9 | Isolated proteinuria with unspecified morphologic lesion |



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|---------|--|
| N06.A | Isolated proteinuria with C3 glomerulonephritis |
| N07.0 | Hereditary nephropathy, not elsewhere classified with minor glomerular abnormality |
| N07.1 | Hereditary nephropathy, not elsewhere classified with focal and segmental glomerular lesions |
| N07.2 | Hereditary nephropathy, not elsewhere classified with diffuse membranous glomerulonephritis |
| N07.3 | Hereditary nephropathy, not elsewhere classified with diffuse mesangial proliferative glomerulonephritis |
| N07.4 | Hereditary nephropathy, not elsewhere classified with diffuse endocapillary proliferative glomerulonephritis |
| N07.5 | Hereditary nephropathy, not elsewhere classified with diffuse mesangiocapillary glomerulonephritis |
| N07.6 | Hereditary nephropathy, not elsewhere classified with dense deposit disease |
| N07.7 | Hereditary nephropathy, not elsewhere classified with diffuse crescentic glomerulonephritis |
| N07.8 | Hereditary nephropathy, not elsewhere classified with other morphologic lesions |
| N07.9 | Hereditary nephropathy, not elsewhere classified with unspecified morphologic lesions |
| N07.A | Hereditary nephropathy, not elsewhere classified with C3 glomerulonephritis |
| N08 | Glomerular disorders in diseases classified elsewhere |
| N10 | Acute pyelonephritis |
| N11.0 | Nonobstructive reflux-associated chronic pyelonephritis |
| N11.1 | Chronic obstructive pyelonephritis |
| N11.8 | Other chronic tubulo-interstitial nephritis |
| N11.9 | Chronic tubulo-interstitial nephritis, unspecified |
| N12 | Tubulo-interstitial nephritis, not specified as acute or chronic |
| N13.0 | Hydronephrosis with ureteropelvic junction obstruction |
| N13.1 | Hydronephrosis with ureteral stricture, not elsewhere classified |
| N13.2 | Hydronephrosis with renal and ureteral calculous obstruction |
| N13.4 | Hydroureter |
| N13.5 | Crossing vessel and stricture of ureter without hydronephrosis |
| N13.6 | Pyonephrosis |
| N13.70 | Vesicoureteral-reflux, unspecified |
| N13.71 | Vesicoureteral-reflux without reflux nephropathy |
| N13.721 | Vesicoureteral-reflux with reflux nephropathy without hydroureter, unilateral |
| N13.722 | Vesicoureteral-reflux with reflux nephropathy without hydroureter, bilateral |
| N13.729 | Vesicoureteral-reflux with reflux nephropathy without hydroureter, unspecified |
| N13.731 | Vesicoureteral-reflux with reflux nephropathy with hydroureter, unilateral |

NCD 190.12

***October 2023 Changes
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|-------------|---|
| N13.732 | Vesicoureteral-reflux with reflux nephropathy with hydroureter, bilateral |
| N13.739 | Vesicoureteral-reflux with reflux nephropathy with hydroureter, unspecified |
| N13.8 | Other obstructive and reflux uropathy |
| N13.9 | Obstructive and reflux uropathy, unspecified |
| N14.0 | Analgesic nephropathy |
| N14.11 | Contrast-induced nephropathy |
| N14.19 | Nephropathy induced by other drugs, medicaments and biological substances |
| N14.2 | Nephropathy induced by unspecified drug, medicament or biological substance |
| N14.3 | Nephropathy induced by heavy metals |
| N14.4 | Toxic nephropathy, not elsewhere classified |
| N15.0 | Balkan nephropathy |
| N15.1 | Renal and perinephric abscess |
| N15.8 | Other specified renal tubulo-interstitial diseases |
| N15.9 | Renal tubulo-interstitial disease, unspecified |
| N16 | Renal tubulo-interstitial disorders in diseases classified elsewhere |
| N17.1 | Acute kidney failure with acute cortical necrosis |
| N17.2 | Acute kidney failure with medullary necrosis |
| N18.6 | End stage renal disease |
| N20.0 | Calculus of kidney |
| N20.1 | Calculus of ureter |
| N20.2 | Calculus of kidney with calculus of ureter |
| N20.9 | Urinary calculus, unspecified |
| N21.0 | Calculus in bladder |
| N21.1 | Calculus in urethra |
| N21.8 | Other lower urinary tract calculus |
| N21.9 | Calculus of lower urinary tract, unspecified |
| N22 | Calculus of urinary tract in diseases classified elsewhere |
| N23 | Unspecified renal colic |
| N28.0 | Ischemia and infarction of kidney |
| N28.1 | Cyst of kidney, acquired |
| N28.81 | Hypertrophy of kidney |
| N28.82 | Megaloureter |
| N28.83 | Nephroptosis |
| N28.84 | Pyelitis cystica |

NCD 190.12

***October 2023 Changes
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|---------|---|
| N28.85 | Pyeloureteritis cystica |
| N28.86 | Ureteritis cystica |
| N28.89 | Other specified disorders of kidney and ureter |
| N28.9 | Disorder of kidney and ureter, unspecified |
| N29 | Other disorders of kidney and ureter in diseases classified elsewhere |
| N30.00 | Acute cystitis without hematuria |
| N30.01 | Acute cystitis with hematuria |
| N30.10 | Interstitial cystitis (chronic) without hematuria |
| N30.11 | Interstitial cystitis (chronic) with hematuria |
| N30.20 | Other chronic cystitis without hematuria |
| N30.21 | Other chronic cystitis with hematuria |
| N30.30 | Trigonitis without hematuria |
| N30.31 | Trigonitis with hematuria |
| N30.40 | Irradiation cystitis without hematuria |
| N30.41 | Irradiation cystitis with hematuria |
| N30.80 | Other cystitis without hematuria |
| N30.81 | Other cystitis with hematuria |
| N30.90 | Cystitis, unspecified without hematuria |
| N30.91 | Cystitis, unspecified with hematuria |
| N34.0 | Urethral abscess |
| N34.1 | Nonspecific urethritis |
| N34.2 | Other urethritis |
| N34.3 | Urethral syndrome, unspecified |
| N35.016 | Post-traumatic urethral stricture, male, overlapping sites |
| N35.111 | Postinfective urethral stricture, not elsewhere classified, male, meatal |
| N35.112 | Postinfective bulbous urethral stricture, not elsewhere classified, male |
| N35.113 | Postinfective membranous urethral stricture, not elsewhere classified, male |
| N35.114 | Postinfective anterior urethral stricture, not elsewhere classified, male |
| N35.116 | Postinfective urethral stricture, not elsewhere classified, male, overlapping sites |
| N35.119 | Postinfective urethral stricture, not elsewhere classified, male, unspecified |
| N35.12 | Postinfective urethral stricture, not elsewhere classified, female |
| N37 | Urethral disorders in diseases classified elsewhere |
| N39.0 | Urinary tract infection, site not specified |
| N39.3 | Stress incontinence (female) (male) |

NCD 190.12

***October 2023 Changes
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|---------|---|
| N39.41 | Urge incontinence |
| N39.42 | Incontinence without sensory awareness |
| N39.43 | Post-void dribbling |
| N39.44 | Nocturnal enuresis |
| N39.45 | Continuous leakage |
| N39.46 | Mixed incontinence |
| N39.490 | Overflow incontinence |
| N39.491 | Coital incontinence |
| N39.492 | Postural (urinary) incontinence |
| N39.498 | Other specified urinary incontinence |
| N40.0 | Benign prostatic hyperplasia without lower urinary tract symptoms |
| N40.1 | Benign prostatic hyperplasia with lower urinary tract symptoms |
| N40.2 | Nodular prostate without lower urinary tract symptoms |
| N40.3 | Nodular prostate with lower urinary tract symptoms |
| N41.0 | Acute prostatitis |
| N41.1 | Chronic prostatitis |
| N41.2 | Abscess of prostate |
| N41.3 | Prostatocystitis |
| N41.4 | Granulomatous prostatitis |
| N41.8 | Other inflammatory diseases of prostate |
| N41.9 | Inflammatory disease of prostate, unspecified |
| N42.0 | Calculus of prostate |
| N42.1 | Congestion and hemorrhage of prostate |
| N42.30 | Unspecified dysplasia of prostate |
| N42.31 | Prostatic intraepithelial neoplasia |
| N42.32 | Atypical small acinar proliferation of prostate |
| N42.39 | Other dysplasia of prostate |
| N42.81 | Prostatodynia syndrome |
| N42.82 | Prostatosis syndrome |
| N42.83 | Cyst of prostate |
| N42.89 | Other specified disorders of prostate |
| N42.9 | Disorder of prostate, unspecified |
| N43.40 | Spermatocele of epididymis, unspecified |
| N43.41 | Spermatocele of epididymis, single |

NCD 190.12

***October 2023 Changes
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|---------|---|
| N43.42 | Spermatocele of epididymis, multiple |
| N44.00 | Torsion of testis, unspecified |
| N44.01 | Extravaginal torsion of spermatic cord |
| N44.02 | Intravaginal torsion of spermatic cord |
| N44.03 | Torsion of appendix testis |
| N44.04 | Torsion of appendix epididymis |
| N44.1 | Cyst of tunica albuginea testis |
| N44.2 | Benign cyst of testis |
| N44.8 | Other noninflammatory disorders of the testis |
| N45.1 | Epididymitis |
| N45.2 | Orchitis |
| N45.3 | Epididymo-orchitis |
| N45.4 | Abscess of epididymis or testis |
| N49.0 | Inflammatory disorders of seminal vesicle |
| N49.1 | Inflammatory disorders of spermatic cord, tunica vaginalis and vas deferens |
| N49.2 | Inflammatory disorders of scrotum |
| N49.3 | Fournier gangrene |
| N49.8 | Inflammatory disorders of other specified male genital organs |
| N49.9 | Inflammatory disorder of unspecified male genital organ |
| N50.0 | Atrophy of testis |
| N50.1 | Vascular disorders of male genital organs |
| N50.3 | Cyst of epididymis |
| N50.811 | Right testicular pain |
| N50.812 | Left testicular pain |
| N50.819 | Testicular pain, unspecified |
| N50.82 | Scrotal pain |
| N50.89 | Other specified disorders of the male genital organs |
| N50.9 | Disorder of male genital organs, unspecified |
| N51 | Disorders of male genital organs in diseases classified elsewhere |
| N53.11 | Retarded ejaculation |
| N53.12 | Painful ejaculation |
| N53.13 | Anejaculatory orgasm |
| N53.14 | Retrograde ejaculation |
| N53.19 | Other ejaculatory dysfunction |

NCD 190.12

***October 2023 Changes
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|--------|---|
| N53.8 | Other male sexual dysfunction |
| N53.9 | Unspecified male sexual dysfunction |
| N70.01 | Acute salpingitis |
| N70.02 | Acute oophoritis |
| N70.03 | Acute salpingitis and oophoritis |
| N70.11 | Chronic salpingitis |
| N70.12 | Chronic oophoritis |
| N70.13 | Chronic salpingitis and oophoritis |
| N70.91 | Salpingitis, unspecified |
| N70.92 | Oophoritis, unspecified |
| N70.93 | Salpingitis and oophoritis, unspecified |
| N71.0 | Acute inflammatory disease of uterus |
| N71.1 | Chronic inflammatory disease of uterus |
| N71.9 | Inflammatory disease of uterus, unspecified |
| N72 | Inflammatory disease of cervix uteri |
| N73.0 | Acute parametritis and pelvic cellulitis |
| N73.1 | Chronic parametritis and pelvic cellulitis |
| N73.2 | Unspecified parametritis and pelvic cellulitis |
| N73.3 | Female acute pelvic peritonitis |
| N73.4 | Female chronic pelvic peritonitis |
| N73.5 | Female pelvic peritonitis, unspecified |
| N73.6 | Female pelvic peritoneal adhesions (postinfective) |
| N73.8 | Other specified female pelvic inflammatory diseases |
| N73.9 | Female pelvic inflammatory disease, unspecified |
| N74 | Female pelvic inflammatory disorders in diseases classified elsewhere |
| N75.0 | Cyst of Bartholin's gland |
| N75.1 | Abscess of Bartholin's gland |
| N75.8 | Other diseases of Bartholin's gland |
| N75.9 | Disease of Bartholin's gland, unspecified |
| N76.0 | Acute vaginitis |
| N76.1 | Subacute and chronic vaginitis |
| N76.2 | Acute vulvitis |
| N76.3 | Subacute and chronic vulvitis |
| N76.4 | Abscess of vulva |

NCD 190.12

***October 2023 Changes
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|---------|--|
| N76.5 | Ulceration of vagina |
| N76.6 | Ulceration of vulva |
| N76.81 | Mucositis (ulcerative) of vagina and vulva |
| N76.89 | Other specified inflammation of vagina and vulva |
| N77.0 | Ulceration of vulva in diseases classified elsewhere |
| N77.1 | Vaginitis, vulvitis and vulvovaginitis in diseases classified elsewhere |
| N82.0 | Vesicovaginal fistula |
| N82.1 | Other female urinary-genital tract fistulae |
| N82.2 | Fistula of vagina to small intestine |
| N82.3 | Fistula of vagina to large intestine |
| N82.4 | Other female intestinal-genital tract fistulae |
| N82.5 | Female genital tract-skin fistulae |
| N82.8 | Other female genital tract fistulae |
| N82.9 | Female genital tract fistula, unspecified |
| N83.511 | Torsion of right ovary and ovarian pedicle |
| N83.512 | Torsion of left ovary and ovarian pedicle |
| N83.519 | Torsion of ovary and ovarian pedicle, unspecified side |
| N83.521 | Torsion of right fallopian tube |
| N83.522 | Torsion of left fallopian tube |
| N83.529 | Torsion of fallopian tube, unspecified side |
| N99.115 | Postprocedural fossa navicularis urethral stricture |
| N99.116 | Postprocedural urethral stricture, male, overlapping sites |
| N99.523 | Herniation of incontinent stoma of urinary tract |
| N99.524 | Stenosis of incontinent stoma of urinary tract |
| N99.533 | Herniation of continent stoma of urinary tract |
| N99.534 | Stenosis of continent stoma of urinary tract |
| O08.0 | Genital tract and pelvic infection following ectopic and molar pregnancy |
| O08.3 | Shock following ectopic and molar pregnancy |
| O08.82 | Sepsis following ectopic and molar pregnancy |
| O12.04 | Gestational edema, complicating childbirth |
| O12.05 | Gestational edema, complicating the puerperium |
| O12.14 | Gestational proteinuria, complicating childbirth |
| O12.15 | Gestational proteinuria, complicating the puerperium |
| O12.24 | Gestational edema with proteinuria, complicating childbirth |

NCD 190.12

***October 2023 Changes
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|-------------|---|
| O12.25 | Gestational edema with proteinuria, complicating the puerperium |
| O13.4 | Gestational [pregnancy-induced] hypertension without significant proteinuria, complicating childbirth |
| O13.5 | Gestational [pregnancy-induced] hypertension without significant proteinuria, complicating the puerperium |
| O14.04 | Mild to moderate pre-eclampsia, complicating childbirth |
| O14.05 | Mild to moderate pre-eclampsia, complicating the puerperium |
| O14.14 | Severe pre-eclampsia complicating childbirth |
| O14.15 | Severe pre-eclampsia, complicating the puerperium |
| O14.24 | HELLP syndrome, complicating childbirth |
| O14.25 | HELLP syndrome, complicating the puerperium |
| O14.94 | Unspecified pre-eclampsia, complicating childbirth |
| O14.95 | Unspecified pre-eclampsia, complicating the puerperium |
| O16.4 | Unspecified maternal hypertension, complicating childbirth |
| O16.5 | Unspecified maternal hypertension, complicating the puerperium |
| O23.00 | Infections of kidney in pregnancy, unspecified trimester |
| O23.01 | Infections of kidney in pregnancy, first trimester |
| O23.02 | Infections of kidney in pregnancy, second trimester |
| O23.03 | Infections of kidney in pregnancy, third trimester |
| O23.10 | Infections of bladder in pregnancy, unspecified trimester |
| O23.11 | Infections of bladder in pregnancy, first trimester |
| O23.12 | Infections of bladder in pregnancy, second trimester |
| O23.13 | Infections of bladder in pregnancy, third trimester |
| O23.20 | Infections of urethra in pregnancy, unspecified trimester |
| O23.21 | Infections of urethra in pregnancy, first trimester |
| O23.22 | Infections of urethra in pregnancy, second trimester |
| O23.23 | Infections of urethra in pregnancy, third trimester |
| O23.30 | Infections of other parts of urinary tract in pregnancy, unspecified trimester |
| O23.31 | Infections of other parts of urinary tract in pregnancy, first trimester |
| O23.32 | Infections of other parts of urinary tract in pregnancy, second trimester |
| O23.33 | Infections of other parts of urinary tract in pregnancy, third trimester |
| O23.40 | Unspecified infection of urinary tract in pregnancy, unspecified trimester |
| O23.41 | Unspecified infection of urinary tract in pregnancy, first trimester |
| O23.42 | Unspecified infection of urinary tract in pregnancy, second trimester |



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|----------|---|
| O23.43 | Unspecified infection of urinary tract in pregnancy, third trimester |
| O23.511 | Infections of cervix in pregnancy, first trimester |
| O23.512 | Infections of cervix in pregnancy, second trimester |
| O23.513 | Infections of cervix in pregnancy, third trimester |
| O23.519 | Infections of cervix in pregnancy, unspecified trimester |
| O23.521 | Salpingo-oophoritis in pregnancy, first trimester |
| O23.522 | Salpingo-oophoritis in pregnancy, second trimester |
| O23.523 | Salpingo-oophoritis in pregnancy, third trimester |
| O23.529 | Salpingo-oophoritis in pregnancy, unspecified trimester |
| O23.591 | Infection of other part of genital tract in pregnancy, first trimester |
| O23.592 | Infection of other part of genital tract in pregnancy, second trimester |
| O23.593 | Infection of other part of genital tract in pregnancy, third trimester |
| O23.599 | Infection of other part of genital tract in pregnancy, unspecified trimester |
| O23.90 | Unspecified genitourinary tract infection in pregnancy, unspecified trimester |
| O23.91 | Unspecified genitourinary tract infection in pregnancy, first trimester |
| O23.92 | Unspecified genitourinary tract infection in pregnancy, second trimester |
| O23.93 | Unspecified genitourinary tract infection in pregnancy, third trimester |
| O24.415 | Gestational diabetes mellitus in pregnancy, controlled by oral hypoglycemic drugs |
| O24.425 | Gestational diabetes mellitus in childbirth, controlled by oral hypoglycemic drugs |
| O24.435 | Gestational diabetes mellitus in puerperium, controlled by oral hypoglycemic drugs |
| O33.7XX0 | Maternal care for disproportion due to other fetal deformities, not applicable or unspecified |
| O33.7XX1 | Maternal care for disproportion due to other fetal deformities, fetus 1 |
| O33.7XX2 | Maternal care for disproportion due to other fetal deformities, fetus 2 |
| O33.7XX3 | Maternal care for disproportion due to other fetal deformities, fetus 3 |
| O33.7XX4 | Maternal care for disproportion due to other fetal deformities, fetus 4 |
| O33.7XX5 | Maternal care for disproportion due to other fetal deformities, fetus 5 |
| O33.7XX9 | Maternal care for disproportion due to other fetal deformities, other fetus |
| O36.8310 | Maternal care for abnormalities of the fetal heart rate or rhythm, first trimester, not applicable or unspecified |
| O36.8311 | Maternal care for abnormalities of the fetal heart rate or rhythm, first trimester, fetus 1 |
| O36.8312 | Maternal care for abnormalities of the fetal heart rate or rhythm, first trimester, fetus 2 |
| O36.8313 | Maternal care for abnormalities of the fetal heart rate or rhythm, first trimester, fetus 3 |
| O36.8314 | Maternal care for abnormalities of the fetal heart rate or rhythm, first trimester, fetus 4 |
| O36.8315 | Maternal care for abnormalities of the fetal heart rate or rhythm, first trimester, fetus 5 |



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|----------|---|
| O36.8319 | Maternal care for abnormalities of the fetal heart rate or rhythm, first trimester, other fetus |
| O36.8320 | Maternal care for abnormalities of the fetal heart rate or rhythm, second trimester, not applicable or unspecified |
| O36.8321 | Maternal care for abnormalities of the fetal heart rate or rhythm, second trimester, fetus 1 |
| O36.8322 | Maternal care for abnormalities of the fetal heart rate or rhythm, second trimester, fetus 2 |
| O36.8323 | Maternal care for abnormalities of the fetal heart rate or rhythm, second trimester, fetus 3 |
| O36.8324 | Maternal care for abnormalities of the fetal heart rate or rhythm, second trimester, fetus 4 |
| O36.8325 | Maternal care for abnormalities of the fetal heart rate or rhythm, second trimester, fetus 5 |
| O36.8329 | Maternal care for abnormalities of the fetal heart rate or rhythm, second trimester, other fetus |
| O36.8330 | Maternal care for abnormalities of the fetal heart rate or rhythm, third trimester, not applicable or unspecified |
| O36.8331 | Maternal care for abnormalities of the fetal heart rate or rhythm, third trimester, fetus 1 |
| O36.8332 | Maternal care for abnormalities of the fetal heart rate or rhythm, third trimester, fetus 2 |
| O36.8333 | Maternal care for abnormalities of the fetal heart rate or rhythm, third trimester, fetus 3 |
| O36.8334 | Maternal care for abnormalities of the fetal heart rate or rhythm, third trimester, fetus 4 |
| O36.8335 | Maternal care for abnormalities of the fetal heart rate or rhythm, third trimester, fetus 5 |
| O36.8339 | Maternal care for abnormalities of the fetal heart rate or rhythm, third trimester, other fetus |
| O36.8390 | Maternal care for abnormalities of the fetal heart rate or rhythm, unspecified trimester, not applicable or unspecified |
| O36.8391 | Maternal care for abnormalities of the fetal heart rate or rhythm, unspecified trimester, fetus 1 |
| O36.8392 | Maternal care for abnormalities of the fetal heart rate or rhythm, unspecified trimester, fetus 2 |
| O36.8393 | Maternal care for abnormalities of the fetal heart rate or rhythm, unspecified trimester, fetus 3 |
| O36.8394 | Maternal care for abnormalities of the fetal heart rate or rhythm, unspecified trimester, fetus 4 |
| O36.8395 | Maternal care for abnormalities of the fetal heart rate or rhythm, unspecified trimester, fetus 5 |
| O36.8399 | Maternal care for abnormalities of the fetal heart rate or rhythm, unspecified trimester, other fetus |
| O44.20 | Partial placenta previa NOS or without hemorrhage, unspecified trimester |
| O44.21 | Partial placenta previa NOS or without hemorrhage, first trimester |
| O44.22 | Partial placenta previa NOS or without hemorrhage, second trimester |
| O44.23 | Partial placenta previa NOS or without hemorrhage, third trimester |
| O44.30 | Partial placenta previa with hemorrhage, unspecified trimester |



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|-------------|---|
| O44.31 | Partial placenta previa with hemorrhage, first trimester |
| O44.32 | Partial placenta previa with hemorrhage, second trimester |
| O44.33 | Partial placenta previa with hemorrhage, third trimester |
| O44.40 | Low lying placenta NOS or without hemorrhage, unspecified trimester |
| O44.41 | Low lying placenta NOS or without hemorrhage, first trimester |
| O44.42 | Low lying placenta NOS or without hemorrhage, second trimester |
| O44.43 | Low lying placenta NOS or without hemorrhage, third trimester |
| O44.50 | Low lying placenta with hemorrhage, unspecified trimester |
| O44.51 | Low lying placenta with hemorrhage, first trimester |
| O44.52 | Low lying placenta with hemorrhage, second trimester |
| O44.53 | Low lying placenta with hemorrhage, third trimester |
| O85 | Puerperal sepsis |
| O86.11 | Cervicitis following delivery |
| O86.12 | Endometritis following delivery |
| O86.13 | Vaginitis following delivery |
| O86.19 | Other infection of genital tract following delivery |
| O86.20 | Urinary tract infection following delivery, unspecified |
| O86.21 | Infection of kidney following delivery |
| O86.22 | Infection of bladder following delivery |
| O86.29 | Other urinary tract infection following delivery |
| O86.4 | Pyrexia of unknown origin following delivery |
| O86.81 | Puerperal septic thrombophlebitis |
| O86.89 | Other specified puerperal infections |
| P36.0 | Sepsis of newborn due to streptococcus, group B |
| P36.10 | Sepsis of newborn due to unspecified streptococci |
| P36.19 | Sepsis of newborn due to other streptococci |
| P36.2 | Sepsis of newborn due to Staphylococcus aureus |
| P36.30 | Sepsis of newborn due to unspecified staphylococci |
| P36.39 | Sepsis of newborn due to other staphylococci |
| P36.4 | Sepsis of newborn due to Escherichia coli |
| P36.5 | Sepsis of newborn due to anaerobes |
| P36.8 | Other bacterial sepsis of newborn |
| P36.9 | Bacterial sepsis of newborn, unspecified |
| P39.3 | Neonatal urinary tract infection |



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|---------|---|
| R00.0 | Tachycardia, unspecified |
| R10.0 | Acute abdomen |
| R10.10 | Upper abdominal pain, unspecified |
| R10.11 | Right upper quadrant pain |
| R10.12 | Left upper quadrant pain |
| R10.13 | Epigastric pain |
| R10.2 | Pelvic and perineal pain |
| R10.30 | Lower abdominal pain, unspecified |
| R10.31 | Right lower quadrant pain |
| R10.32 | Left lower quadrant pain |
| R10.33 | Periumbilical pain |
| R10.811 | Right upper quadrant abdominal tenderness |
| R10.812 | Left upper quadrant abdominal tenderness |
| R10.813 | Right lower quadrant abdominal tenderness |
| R10.814 | Left lower quadrant abdominal tenderness |
| R10.815 | Periumbilic abdominal tenderness |
| R10.816 | Epigastric abdominal tenderness |
| R10.817 | Generalized abdominal tenderness |
| R10.819 | Abdominal tenderness, unspecified site |
| R10.821 | Right upper quadrant rebound abdominal tenderness |
| R10.822 | Left upper quadrant rebound abdominal tenderness |
| R10.823 | Right lower quadrant rebound abdominal tenderness |
| R10.824 | Left lower quadrant rebound abdominal tenderness |
| R10.825 | Periumbilic rebound abdominal tenderness |
| R10.826 | Epigastric rebound abdominal tenderness |
| R10.827 | Generalized rebound abdominal tenderness |
| R10.829 | Rebound abdominal tenderness, unspecified site |
| R10.83 | Colic |
| R10.84 | Generalized abdominal pain |
| R10.9 | Unspecified abdominal pain |
| R30.0 | Dysuria |
| R30.1 | Vesical tenesmus |
| R30.9 | Painful micturition, unspecified |
| R31.0 | Gross hematuria |



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|----------|--|
| R31.1 | Benign essential microscopic hematuria |
| R31.21 | Asymptomatic microscopic hematuria |
| R31.29 | Other microscopic hematuria |
| R31.9 | Hematuria, unspecified |
| R32 | Unspecified urinary incontinence |
| R33.0 | Drug induced retention of urine |
| R33.8 | Other retention of urine |
| R33.9 | Retention of urine, unspecified |
| R34 | Anuria and oliguria |
| R35.0 | Frequency of micturition |
| R35.1 | Nocturia |
| R35.81 | Nocturnal polyuria |
| R35.89 | Other polyuria |
| R36.0 | Urethral discharge without blood |
| R36.1 | Hematospermia |
| R36.9 | Urethral discharge, unspecified |
| R39.0 | Extravasation of urine |
| R39.11 | Hesitancy of micturition |
| R39.12 | Poor urinary stream |
| R39.13 | Splitting of urinary stream |
| R39.14 | Feeling of incomplete bladder emptying |
| R39.15 | Urgency of urination |
| R39.16 | Straining to void |
| R39.191 | Need to immediately re-void |
| R39.192 | Position dependent micturition |
| R39.198 | Other difficulties with micturition |
| R39.2 | Extrarenal uremia |
| R39.81 | Functional urinary incontinence |
| R39.82 | Chronic bladder pain |
| R39.89 | Other symptoms and signs involving the genitourinary system |
| R39.9 | Unspecified symptoms and signs involving the genitourinary system |
| R40.2410 | Glasgow coma scale score 13-15, unspecified time |
| R40.2411 | Glasgow coma scale score 13-15, in the field [EMT or ambulance] |
| R40.2412 | Glasgow coma scale score 13-15, at arrival to emergency department |

NCD 190.12

***October 2023 Changes
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|----------|--|
| R40.2413 | Glasgow coma scale score 13-15, at hospital admission |
| R40.2414 | Glasgow coma scale score 13-15, 24 hours or more after hospital admission |
| R40.2420 | Glasgow coma scale score 9-12, unspecified time |
| R40.2421 | Glasgow coma scale score 9-12, in the field [EMT or ambulance] |
| R40.2422 | Glasgow coma scale score 9-12, at arrival to emergency department |
| R40.2423 | Glasgow coma scale score 9-12, at hospital admission |
| R40.2424 | Glasgow coma scale score 9-12, 24 hours or more after hospital admission |
| R40.2430 | Glasgow coma scale score 3-8, unspecified time |
| R40.2431 | Glasgow coma scale score 3-8, in the field [EMT or ambulance] |
| R40.2432 | Glasgow coma scale score 3-8, at arrival to emergency department |
| R40.2433 | Glasgow coma scale score 3-8, at hospital admission |
| R40.2434 | Glasgow coma scale score 3-8, 24 hours or more after hospital admission |
| R40.2440 | Other coma, without documented Glasgow coma scale score, or with partial score reported, unspecified time |
| R40.2441 | Other coma, without documented Glasgow coma scale score, or with partial score reported, in the field [EMT or ambulance] |
| R40.2442 | Other coma, without documented Glasgow coma scale score, or with partial score reported, at arrival to emergency department |
| R40.2443 | Other coma, without documented Glasgow coma scale score, or with partial score reported, at hospital admission |
| R40.2444 | Other coma, without documented Glasgow coma scale score, or with partial score reported, 24 hours or more after hospital admission |
| R40.4 | Transient alteration of awareness |
| R41.0 | Disorientation, unspecified |
| R41.1 | Anterograde amnesia |
| R41.2 | Retrograde amnesia |
| R41.3 | Other amnesia |
| R41.82 | Altered mental status, unspecified |
| R41.9 | Unspecified symptoms and signs involving cognitive functions and awareness |
| R45.84 | Anhedonia |
| R45.88 | Nonsuicidal self-harm |
| R50.2 | Drug induced fever |
| R50.81 | Fever presenting with conditions classified elsewhere |
| R50.82 | Postprocedural fever |
| R50.83 | Postvaccination fever |
| R50.84 | Febrile nonhemolytic transfusion reaction |

NCD 190.12

***October 2023 Changes
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|--------|---|
| R50.9 | Fever, unspecified |
| R52 | Pain, unspecified |
| R53.0 | Neoplastic (malignant) related fatigue |
| R53.1 | Weakness |
| R53.81 | Other malaise |
| R53.83 | Other fatigue |
| R57.0 | Cardiogenic shock |
| R57.1 | Hypovolemic shock |
| R57.8 | Other shock |
| R57.9 | Shock, unspecified |
| R65.21 | Severe sepsis with septic shock |
| R68.0 | Hypothermia, not associated with low environmental temperature |
| R68.81 | Early satiety |
| R68.83 | Chills (without fever) |
| R68.89 | Other general symptoms and signs |
| R73.03 | Prediabetes |
| R78.81 | Bacteremia |
| R80.0 | Isolated proteinuria |
| R80.1 | Persistent proteinuria, unspecified |
| R80.2 | Orthostatic proteinuria, unspecified |
| R80.3 | Bence Jones proteinuria |
| R80.8 | Other proteinuria |
| R80.9 | Proteinuria, unspecified |
| R81 | Glycosuria |
| R82.0 | Chyluria |
| R82.1 | Myoglobinuria |
| R82.2 | Biliuria |
| R82.3 | Hemoglobinuria |
| R82.4 | Acetonuria |
| R82.5 | Elevated urine levels of drugs, medicaments and biological substances |
| R82.6 | Abnormal urine levels of substances chiefly nonmedicinal as to source |
| R82.71 | Bacteriuria |
| R82.79 | Other abnormal findings on microbiological examination of urine |
| R82.81 | Pyuria |

NCD 190.12

***October 2023 Changes
ICD-10-CM Version – Red**

Fu Associates, Ltd.

October 2023



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|-------------|---|
| R82.89 | Other abnormal findings on cytological and histological examination of urine |
| R82.90 | Unspecified abnormal findings in urine |
| R82.91 | Other chromoabnormalities of urine |
| R82.991 | Hypocitraturia |
| R82.992 | Hyperoxaluria |
| R82.993 | Hyperuricosuria |
| R82.994 | Hypercalciuria |
| R82.998 | Other abnormal findings in urine |
| T19.0XXA | Foreign body in urethra, initial encounter |
| T19.1XXA | Foreign body in bladder, initial encounter |
| T19.4XXA | Foreign body in penis, initial encounter |
| T83.011A | Breakdown (mechanical) of indwelling urethral catheter, initial encounter |
| T83.011D | Breakdown (mechanical) of indwelling urethral catheter, subsequent encounter |
| T83.011S | Breakdown (mechanical) of indwelling urethral catheter, sequela |
| T83.012A | Breakdown (mechanical) of nephrostomy catheter, initial encounter |
| T83.012D | Breakdown (mechanical) of nephrostomy catheter, subsequent encounter |
| T83.012S | Breakdown (mechanical) of nephrostomy catheter, sequela |
| T83.021A | Displacement of indwelling urethral catheter, initial encounter |
| T83.021D | Displacement of indwelling urethral catheter, subsequent encounter |
| T83.021S | Displacement of indwelling urethral catheter, sequela |
| T83.022A | Displacement of nephrostomy catheter, initial encounter |
| T83.022D | Displacement of nephrostomy catheter, subsequent encounter |
| T83.022S | Displacement of nephrostomy catheter, sequela |
| T83.031A | Leakage of indwelling urethral catheter, initial encounter |
| T83.031D | Leakage of indwelling urethral catheter, subsequent encounter |
| T83.031S | Leakage of indwelling urethral catheter, sequela |
| T83.032A | Leakage of nephrostomy catheter, initial encounter |
| T83.032D | Leakage of nephrostomy catheter, subsequent encounter |
| T83.032S | Leakage of nephrostomy catheter, sequela |
| T83.091A | Other mechanical complication of indwelling urethral catheter, initial encounter |
| T83.091D | Other mechanical complication of indwelling urethral catheter, subsequent encounter |
| T83.091S | Other mechanical complication of indwelling urethral catheter, sequela |
| T83.092A | Other mechanical complication of nephrostomy catheter, initial encounter |
| T83.092D | Other mechanical complication of nephrostomy catheter, subsequent encounter |

NCD 190.12

***October 2023 Changes
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|-------------|--|
| T83.092S | Other mechanical complication of nephrostomy catheter, sequela |
| T83.113A | Breakdown (mechanical) of other urinary stents, initial encounter |
| T83.113D | Breakdown (mechanical) of other urinary stents, subsequent encounter |
| T83.113S | Breakdown (mechanical) of other urinary stents, sequela |
| T83.123A | Displacement of other urinary stents, initial encounter |
| T83.123D | Displacement of other urinary stents, subsequent encounter |
| T83.123S | Displacement of other urinary stents, sequela |
| T83.193A | Other mechanical complication of other urinary stent, initial encounter |
| T83.193D | Other mechanical complication of other urinary stent, subsequent encounter |
| T83.193S | Other mechanical complication of other urinary stent, sequela |
| T83.24XA | Erosion of graft of urinary organ, initial encounter |
| T83.24XD | Erosion of graft of urinary organ, subsequent encounter |
| T83.24XS | Erosion of graft of urinary organ, sequela |
| T83.25XA | Exposure of graft of urinary organ, initial encounter |
| T83.25XD | Exposure of graft of urinary organ, subsequent encounter |
| T83.25XS | Exposure of graft of urinary organ, sequela |
| T83.510A | Infection and inflammatory reaction due to cystostomy catheter, initial encounter |
| T83.510D | Infection and inflammatory reaction due to cystostomy catheter, subsequent encounter |
| T83.510S | Infection and inflammatory reaction due to cystostomy catheter, sequela |
| T83.511A | Infection and inflammatory reaction due to indwelling urethral catheter, initial encounter |
| T83.511D | Infection and inflammatory reaction due to indwelling urethral catheter, subsequent encounter |
| T83.511S | Infection and inflammatory reaction due to indwelling urethral catheter, sequela |
| T83.512A | Infection and inflammatory reaction due to nephrostomy catheter, initial encounter |
| T83.512D | Infection and inflammatory reaction due to nephrostomy catheter, subsequent encounter |
| T83.512S | Infection and inflammatory reaction due to nephrostomy catheter, sequela |
| T83.518A | Infection and inflammatory reaction due to other urinary catheter, initial encounter |
| T83.518D | Infection and inflammatory reaction due to other urinary catheter, subsequent encounter |
| T83.518S | Infection and inflammatory reaction due to other urinary catheter, sequela |
| T83.590A | Infection and inflammatory reaction due to implanted urinary neurostimulation device, initial encounter |
| T83.590D | Infection and inflammatory reaction due to implanted urinary neurostimulation device, subsequent encounter |
| T83.590S | Infection and inflammatory reaction due to implanted urinary neurostimulation device, sequela |



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|----------|---|
| T83.591A | Infection and inflammatory reaction due to implanted urinary sphincter, initial encounter |
| T83.591D | Infection and inflammatory reaction due to implanted urinary sphincter, subsequent encounter |
| T83.591S | Infection and inflammatory reaction due to implanted urinary sphincter, sequela |
| T83.592A | Infection and inflammatory reaction due to indwelling ureteral stent, initial encounter |
| T83.592D | Infection and inflammatory reaction due to indwelling ureteral stent, subsequent encounter |
| T83.592S | Infection and inflammatory reaction due to indwelling ureteral stent, sequela |
| T83.593A | Infection and inflammatory reaction due to other urinary stents, initial encounter |
| T83.593D | Infection and inflammatory reaction due to other urinary stents, subsequent encounter |
| T83.593S | Infection and inflammatory reaction due to other urinary stents, sequela |
| T83.598A | Infection and inflammatory reaction due to other prosthetic device, implant and graft in urinary system, initial encounter |
| T83.598D | Infection and inflammatory reaction due to other prosthetic device, implant and graft in urinary system, subsequent encounter |
| T83.598S | Infection and inflammatory reaction due to other prosthetic device, implant and graft in urinary system, sequela |
| T83.61XA | Infection and inflammatory reaction due to implanted penile prosthesis, initial encounter |
| T83.61XD | Infection and inflammatory reaction due to implanted penile prosthesis, subsequent encounter |
| T83.61XS | Infection and inflammatory reaction due to implanted penile prosthesis, sequela |
| T83.62XA | Infection and inflammatory reaction due to implanted testicular prosthesis, initial encounter |
| T83.62XD | Infection and inflammatory reaction due to implanted testicular prosthesis, subsequent encounter |
| T83.62XS | Infection and inflammatory reaction due to implanted testicular prosthesis, sequela |
| T83.69XA | Infection and inflammatory reaction due to other prosthetic device, implant and graft in genital tract, initial encounter |
| T83.69XD | Infection and inflammatory reaction due to other prosthetic device, implant and graft in genital tract, subsequent encounter |
| T83.69XS | Infection and inflammatory reaction due to other prosthetic device, implant and graft in genital tract, sequela |
| T83.712A | Erosion of implanted urethral mesh to surrounding organ or tissue, initial encounter |
| T83.712D | Erosion of implanted urethral mesh to surrounding organ or tissue, subsequent encounter |
| T83.712S | Erosion of implanted urethral mesh to surrounding organ or tissue, sequela |
| T83.713A | Erosion of implanted urethral bulking agent to surrounding organ or tissue, initial encounter |
| T83.713D | Erosion of implanted urethral bulking agent to surrounding organ or tissue, subsequent encounter |
| T83.713S | Erosion of implanted urethral bulking agent to surrounding organ or tissue, sequela |



**Medicare National Coverage Determinations (NCD)
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code | Description |
|----------------|---|
| T83.714A | Erosion of implanted ureteral bulking agent to surrounding organ or tissue, initial encounter |
| T83.714D | Erosion of implanted ureteral bulking agent to surrounding organ or tissue, subsequent encounter |
| T83.714S | Erosion of implanted ureteral bulking agent to surrounding organ or tissue, sequela |
| T83.719A | Erosion of other prosthetic materials to surrounding organ or tissue, initial encounter |
| T83.719D | Erosion of other prosthetic materials to surrounding organ or tissue, subsequent encounter |
| T83.719S | Erosion of other prosthetic materials to surrounding organ or tissue, sequela |
| T83.722A | Exposure of implanted urethral mesh into urethra, initial encounter |
| T83.722D | Exposure of implanted urethral mesh into urethra, subsequent encounter |
| T83.722S | Exposure of implanted urethral mesh into urethra, sequela |
| T83.723A | Exposure of implanted urethral bulking agent into urethra, initial encounter |
| T83.723D | Exposure of implanted urethral bulking agent into urethra, subsequent encounter |
| T83.723S | Exposure of implanted urethral bulking agent into urethra, sequela |
| T83.724A | Exposure of implanted ureteral bulking agent into ureter, initial encounter |
| T83.724D | Exposure of implanted ureteral bulking agent into ureter, subsequent encounter |
| T83.724S | Exposure of implanted ureteral bulking agent into ureter, sequela |
| T83.79XA | Other specified complications due to other genitourinary prosthetic materials, initial encounter |
| T83.79XD | Other specified complications due to other genitourinary prosthetic materials, subsequent encounter |
| T83.79XS | Other specified complications due to other genitourinary prosthetic materials, sequela |
| Z05.0 | Observation and evaluation of newborn for suspected cardiac condition ruled out |
| Z05.1 | Observation and evaluation of newborn for suspected infectious condition ruled out |
| Z05.2 | Observation and evaluation of newborn for suspected neurological condition ruled out |
| Z05.3 | Observation and evaluation of newborn for suspected respiratory condition ruled out |
| Z05.41 | Observation and evaluation of newborn for suspected genetic condition ruled out |
| Z05.42 | Observation and evaluation of newborn for suspected metabolic condition ruled out |
| Z05.43 | Observation and evaluation of newborn for suspected immunologic condition ruled out |
| Z05.5 | Observation and evaluation of newborn for suspected gastrointestinal condition ruled out |
| Z05.6 | Observation and evaluation of newborn for suspected genitourinary condition ruled out |
| Z05.71 | Observation and evaluation of newborn for suspected skin and subcutaneous tissue condition ruled out |
| Z05.72 | Observation and evaluation of newborn for suspected musculoskeletal condition ruled out |
| Z05.73 | Observation and evaluation of newborn for suspected connective tissue condition ruled out |
| *Z05.81 | *Observation and evaluation of newborn for suspected condition related to home physiologic monitoring device ruled out |



| Code | Description |
|-----------------|---|
| *Z05.89 | *Observation and evaluation of newborn for other specified suspected condition ruled out |
| Z05.9 | Observation and evaluation of newborn for unspecified suspected condition ruled out |
| Z19.1 | Hormone sensitive malignancy status |
| Z19.2 | Hormone resistant malignancy status |
| Z31.7 | Encounter for procreative management and counseling for gestational carrier |
| Z43.5 | Encounter for attention to cystostomy |
| Z43.6 | Encounter for attention to other artificial openings of urinary tract |
| Z79.3 | Long term (current) use of hormonal contraceptives |
| *Z79.60 | *Long term (current) use of unspecified immunomodulators and immunosuppressants |
| *Z79.621 | *Long term (current) use of calcineurin inhibitor |
| Z79.84 | Long term (current) use of oral hypoglycemic drugs |
| Z79.85 | Long-term (current) use of injectable non-insulin antidiabetic drugs |
| Z79.891 | Long term (current) use of opiate analgesic |
| Z79.899 | Other long term (current) drug therapy |
| Z84.82 | Family history of sudden infant death syndrome |
| Z93.50 | Unspecified cystostomy status |
| Z93.51 | Cutaneous-vesicostomy status |
| Z93.52 | Appendico-vesicostomy status |
| Z93.59 | Other cystostomy status |
| Z93.6 | Other artificial openings of urinary tract status |

Indications

1. A beneficiary’s urinalysis is abnormal suggesting urinary tract infection, for example, abnormal microscopic (hematuria, pyuria, bacteriuria); abnormal biochemical urinalysis (positive leukocyte esterase, nitrite, protein, blood); a Gram’s stain positive for microorganisms; positive bacteriuria screen by a non-culture technique; or other significant abnormality of a urinalysis. While it is not essential to evaluate a urine specimen by one of these methods before a urine culture is performed, certain clinical presentations with highly suggestive signs and symptoms may lend themselves to an antecedent urinalysis procedure where follow-up culture depends upon an initial positive or abnormal test result.
2. A beneficiary has clinical signs and symptoms indicative of a possible urinary tract infection (UTI). Acute lower UTI may present with urgency, frequency, nocturia, dysuria, discharge or incontinence. These findings might also be noted in upper UTI with additional systemic symptoms (for example, fever, chills, lethargy); or pain in the costovertebral, abdominal, or pelvic



areas. Signs and symptoms might overlap considerably with other inflammatory conditions of the genitourinary tract (for example, prostatitis, urethritis, vaginitis, or cervicitis). Elderly or immunocompromised beneficiaries or those with neurologic disorders might present atypically (for example, general debility, acute mental status changes, declining functional status).

3. The beneficiary is being evaluated for suspected urosepsis, fever of unknown origin, or other systemic manifestations of infection but without a known source. Signs and symptoms used to define sepsis have been well established.

4. A test of cure is generally not indicated in an uncomplicated infection. However, it may be indicated if the beneficiary is being evaluated for response to therapy and there is a complicating co-existing urinary abnormality including structural or functional abnormalities, calculi, foreign bodies, or ureteral/renal stents or there is clinical or laboratory evidence of failure to respond as described in Indications 1 and 2.

5. In surgical procedures involving major manipulations of the genitourinary tract, preoperative examination to detect occult infection may be indicated in selected cases (for example, prior to renal transplantation, manipulation or removal of kidney stones, or transurethral surgery of the bladder or prostate).

6. Urine culture may be indicated to detect occult infection in renal transplant recipients on immunosuppressive therapy.

Limitations

1. CPT© code 87086 may be used one time per encounter.

2. Colony count restrictions on coverage of CPT© code 87088 do not apply as they may be highly variable according to syndrome or other clinical circumstances (for example, antecedent therapy, collection time, and degree of hydration).

3. CPT© code 87088 may be used multiple times in association with or independent of 87086, as urinary tract infections may be polymicrobial.

4. Testing for asymptomatic bacteriuria as part of a prenatal evaluation may be medically appropriate but is considered screening and therefore not covered by Medicare. The U.S. Preventive Services Task Force has concluded that screening for asymptomatic bacteriuria outside of the narrow indication for pregnant women is generally not indicated. There are insufficient data to recommend screening in ambulatory elderly beneficiaries including those with diabetes. Testing may be clinically indicated on other grounds including likelihood of recurrence or potential adverse effects of antibiotics, but is considered screening in the absence of clinical or laboratory evidence of infection.

5. To detect a clinically significant post-transplant occult infection in a renal allograft recipient on long-term immunosuppressive therapy, use code ***Z79.60 or Z79.621**.

ICD-10-CM Codes That Do Not Support Medical Necessity

Any ICD-10-CM code not listed in either of the ICD-10-CM covered or non-covered sections.

Documentation Requirements

Appropriate HCPCS/CPT© code(s) must be used as described.



Sources of Information

Bone, RC, RA Bal, FB Cerra, & ACCP/SCCM Consensus Conference Committee. 1992. Definitions for sepsis & organ failure & guidelines for the use of innovative therapies in sepsis. *Chest* 101:1644-1655.

Clarridge, JE, JR Johnson, and MT Pezzlo. 1998 (in press). *Cumitech 2B: Laboratory Diagnosis of Urinary Tract Infections*. AS Weissfeld (coor. ed.); ASM Press, Washington, DC.

Kunin, CM. 1994. Urinary tract infections in females. *Clin. Infect. Dis.* 18:1-12.

Sodeman, TM. 1995. A practical strategy for diagnosis of urinary tract infections. *Clin. Lab. Med.* 15:235-250.

Stamm WE, and TM Hooton. 1993. Management of urinary tract infections in adults. *N. Engl. J. Med.* 329:1328-1334.

United States Preventive Services Task Force (1996). Guidelines for screening for asymptomatic bacteriuria.

Lachs MS, Nachamkin I, Edelstein PH et al. 1992. Spectrum bias in the evaluation of diagnostic tests: lessons from the rapid dipstick test for urinary tract infection. *Ann. Int. Med.* 117:135-140